Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("5,815,702").pn.	USPAT	OR	OFF	2005/02/10 14:17
L2	1	("5,815,708").pn.	USPAT	OR	OFF	2005/02/10 14:18
L3	1	("5,892945").pn.	USPAT	OR	OFF	2005/02/10 14:18
L4	1	("5,923893").pn.	USPAT	OR	OFF	2005/02/10 14:19
L5	1	("6,182,243").pn.	USPAT	OR	OFF	2005/02/10 14:22
L6	408	(712/244).CCLS.	USPAT	OR	OFF	2005/02/10 14:22
L7	0	6 & (exception near5 handl$6) same secur$3	USPAT	OR	OFF	2005/02/10 14:23
L8	174	6 & (exception near5 handl$6)	USPAT	OR	OFF	2005/02/10 14:23
L9	40	6 & (exception near5 handl$6) same (activ$6 or re-activ$6 or run$6)	USPAT	OR	OFF	2005/02/10 14:25
L10	23	6 & (exception near5 handl$6) with (activ$6 or re-activ$6 or run$6)	USPAT	OR	OFF	2005/02/10 14:25
S78	10	(handl$6 with exception$1 same (suspend$6 or wait$6)).ab.	USPAT	OR	OFF	2005/02/08 17:53
S79	170	(handl$6 same (suspend$6 or wait$6) same secur$6).ab.	USPAT	OR	OFF	2005/02/08 17:25
S80	0	(handl$6 same (suspend$6 or wait$6) same secur$6 same error$1).ab.	USPAT	OR	OFF	2005/02/08 17:24
S81	0	(handl$6 same (suspend$6 or wait$6) same secur$6 & error$1).ab.	USPAT	OR	OFF	2005/02/08 17:24
S82	0	(handl$6 same (suspend$6 or wait$6) same secur$6 & exception$1).ab.	USPAT	OR	OFF	2005/02/08 17:24
S83	0	(handl$6 same (suspend$6 or wait$6) same secur$6 same task$1).ab.	USPAT	OR	OFF	2005/02/08 17:25
S84	25	(handl$6 same (suspend$6 or wait$6) same secur$6 same task$1)	USPAT	OR	OFF	2005/02/08 17:26
S85	2	(handl$6 same (suspend$6 or wait$6) same secur$6 same task$1 same (server$1 or client$1))	USPAT	OR	OFF	2005/02/08 17:47
S86	1	("5,892945").pn.	USPAT	OR	OFF	2005/02/08 17:48
S87	1	("6,182,243").pn.	USPAT	OR	OFF	2005/02/08 17:49
S88	1	("5,923,863").pn.	USPAT	OR	OFF	2005/02/08 17:51
S89	1	("5,815,708").pn.	USPAT	OR	OFF	2005/02/08 17:51
S90	1	(handl$6 with exception$1 with (suspend$6 or wait$6) same simultan$6)	USPAT	OR	OFF	2005/02/08 17:55

S91	107	(handl$6 with exception$1 with (suspend$6 or wait$6) & simultan$6)	USPAT	OR	OFF	2005/02/08 17:55
S92	99	((handl$6 near2 exception$1) with (suspend$6 or wait$6) & simultan$6)	USPAT	OR	OFF	2005/02/08 17:56
S93	0	((handl$6 near2 exception$1) with (suspend$6 or wait$6) same secur$6 & simultan$6)	USPAT	OR	OFF	2005/02/08 17:56
S94	1	((handl$6 near2 exception$1) with (suspend$6 or wait$6) same task$1 & simultan$6)	USPAT	OR	OFF	2005/02/08 18:01
S95	1	((handl$6 near2 exception$1) with (suspend$6 or wait$6) same task$1)	USPAT	OR	OFF	2005/02/09 11:05
S96	8	((handl$6 near2 exception$1) same ((suspend$6 or wait$6) with task$1))	USPAT	OR	OFF	2005/02/08 17:59
S97	8	((handl$6 with error$1) with (suspend$6 or wait$6) same task$1 & simultan$6)	USPAT	OR	OFF	2005/02/09 09:56
S98	1	("5,511,199").pn.	USPAT	OR	OFF	2005/02/09 09:56
S99	102	(handl$6 near2 exception$1) with (suspend$6 or wait$6) same (activat$3 or process$6)	USPAT	OR	OFF	2005/02/09 11:06
S10 0	0	(handl$6 near2 exception$1) with (suspend$6 or wait$6) same (activat$3 or process$6)same tast$1	USPAT	OR	OFF	2005/02/09 11:06
S10 1	0	(handl$6 near2 exception$1) with (suspend$6 or wait$6) same (activat$3 or process$6)same task$1	USPAT	OR	OFF	2005/02/09 11:06
S10 2	62785	(suspend$6 or wait$6) with (activat$3 or process$6)	USPAT	OR	OFF	2005/02/09 11:07
S10 3	8914	(suspend$6 or wait$6) with (activat$3)	USPAT	OR	OFF	2005/02/09 11:07
S10 4	114	(suspend$6 or wait$6) with (activat$3)with task$1	USPAT	OR	OFF	2005/02/09 11:07
S10 5	6	(suspend$6 or wait$6) with (activat$3)with task$1 same error$1	USPAT	OR	OFF	2005/02/09 11:11
S10 6	0	(suspend$6 or wait$6) with (activat$3)with task$1 same hanld$6 same secur$6	USPAT	OR	OFF	2005/02/09 11:11
S10 7	0	(suspend$6 or wait$6) with (activat$3)with task$1 same hanld$6 & secur$6	USPAT	OR	OFF	2005/02/09 11:11
S10 8	0	(suspend$6 or wait$6) with (activat$3)with task$1 & hanld$6 & secur$6	USPAT	OR	OFF	2005/02/09 11:11

S109	0	(suspend$6 or wait$6) with (activat$3)with task$1 & hanld$6	USPAT	OR	OFF	2005/02/09 11:12
S110	81	(suspend$6 or wait$6) with (activat$3)with task$1 & handl$6	USPAT	OR	OFF	2005/02/09 11:12
S111	1047579	(suspend$6 or wait$6) with (activat$3)with task$1 same handl$6 sane secur$6	USPAT	OR	OFF	2005/02/09 11:12
S112	0	(suspend$6 or wait$6) with (activat$3)with task$1 same handl$6 same secur$6	USPAT	OR	OFF	2005/02/09 11:12
S113	9	(suspend$6 or wait$6) with (activat$3)with task$1 same handl$6 & secur$6	USPAT	OR	OFF	2005/02/09 11:18
S114	18	(suspend$6 or wait$6) with (activat$3 or run)with task$1 same handl$6 & secur$6	USPAT	OR	OFF	2005/02/09 11:20
S115	766	(718/100).CCLS.	USPAT	OR	OFF	2005/02/09 13:00
S116	0	S115 & S114	USPAT	OR	OFF	2005/02/09 11:28
S117	38	(suspend$6 or wait$6) with (activat$3 or run)with task$1 same handl$6	USPAT	OR	OFF	2005/02/09 11:22
S118	2	S115 & S117	USPAT	OR	OFF	2005/02/09 11:22
S119	492	(suspend$6 or wait$6) with (activat$3 or run) same handl$6	USPAT	OR	OFF	2005/02/09 11:27
S120	13	S115 & S119	USPAT	OR	OFF	2005/02/09 11:22
S121	1337	(suspend$6 or wait$6) with handl$3 with (activat$3 or run$6 or process$6)	USPAT	OR	OFF	2005/02/09 11:33
S122	28	S115 & S121	USPAT	OR	OFF	2005/02/09 11:33
S123	87	(suspend$6 or wait$6) with handl$3 same (activat$3 or run$6 or process$6).ab.	USPAT	OR	OFF	2005/02/09 11:29
S124	4	S115 & S123	USPAT	OR	OFF	2005/02/09 11:29
S125	316	(suspend$6 or wait$6) with handl$3 with (activat$3 or run$6 or process$6) & server$1	USPAT	OR	OFF	2005/02/09 11:37
S126	4	S115 & S125	USPAT	OR	OFF	2005/02/09 11:33
S127	228	(suspend$6 or wait$6) with handl$3 with task$1	USPAT	OR	OFF	2005/02/09 12:45

S128	3	((suspend$6 or wait$6) with handl$3 with task$1).ab.	USPAT	OR	OFF	2005/02/09 12:46
S129	2	((suspend$6 or wait$6) with handl$3 with task$1 same database$1)	USPAT	OR	OFF	2005/02/09 12:52
S130	30	(714/100).CCLS.	USPAT	OR	OFF	2005/02/09 12:55
S131	8	S130 & (suspend$6 or wait$6)	USPAT	OR	OFF	2005/02/09 12:57
S132	921	(714/100,52,764,799,21,22).CCLS.	USPAT	OR	OFF	2005/02/09 12:57
S133	279	S132 & (suspend$6 or wait$6)	USPAT	OR	OFF	2005/02/09 12:57
S134	1	S132 & ((suspend$6 or wait$6) with handl$6).ab.	USPAT	OR	OFF	2005/02/09 12:59
S135	0	S132 & ((suspend$6 or wait$6) with handl$6 same task$1)	USPAT	OR	OFF	2005/02/09 12:59
S136	4	S132 & ((suspend$6 or wait$6) with handl$6 & task$1)	USPAT	OR	OFF	2005/02/09 13:02
S137	766	(718/100).CCLS.	USPAT	OR	OFF	2005/02/09 13:00
S138	1	("6,323,881" B1).pn.	USPAT	OR	OFF	2005/02/09 13:00
S139	63	((suspend$6 or wait$6) with handl$6 with file$1)	USPAT	OR	OFF	2005/02/09 13:03
S140	3	((suspend$6 or wait$6) with handl$6 with file$1 same task$1)	USPAT	OR	OFF	2005/02/09 13:04
S141	0	((suspend$6 or wait$6) with exception with file$1 same task$1)	USPAT	OR	OFF	2005/02/09 13:05
S142	20	((suspend$6 or wait$6) with exception same task$1)	USPAT	OR	OFF	2005/02/09 14:43
S143	1	(client$1 & server$1 same request$3 with task with activ$6). ab.	USPAT	OR	OFF	2005/02/09 14:50
S144	0	(client$1 & server$1 same send$6 with task with activ$6).ab.	USPAT	OR	OFF	2005/02/09 14:47
S145	0	(client$1 & server$1 same send$6 with task$1 with activ$6).ab.	USPAT	OR	OFF	2005/02/09 14:47
S146	8	(client$1 & server$1 same send$6 with task$1 with activ$6)	USPAT	OR	OFF	2005/02/09 14:50
S147	1	(client$1 & server$1 with task$1 with activ$6).ab.	USPAT	OR	OFF	2005/02/09 14:50
S148	5	(client$1 & server$1 same request$3 same task$1 same activ$6).ab.	USPAT	OR	OFF	2005/02/09 14:54

S14 9	10	(client$1 & server$1 same task$1 same handl$6).ab.	USPAT	OR	OFF	2005/02/09 15:02
S15 0	0	(client$1 & server$1 same task$1 same (suspension$1 or wait$6)). ab.	USPAT	OR	OFF	2005/02/09 15:19
S15 1	0	(client$1 & server$1 same task$1 & (suspension$1 or wait$6)).ab.	USPAT	OR	OFF	2005/02/09 15:09
S15 2	56	(client$1 & server$1 same (suspension$1 or wait$6)).ab.	USPAT	OR	OFF	2005/02/09 15:09
S15 3	5	(client$1 & server$1 same (suspension$1 or wait$6) & operating).ab.	USPAT	OR	OFF	2005/02/09 15:11
S15 4	0	(client$1 & server$1 same (suspension$1 or wait$6) & exception).ab.	USPAT	OR	OFF	2005/02/09 15:11
S15 5	255	(client$1 same server$1 with (suspension$1 or wait$6) & exception)	USPAT	OR	OFF	2005/02/09 15:11
S15 6	18	(client$1 same server$1 with (suspension$1 or wait$6) same exception)	USPAT	OR	OFF	2005/02/09 15:15
S15 7	1	("5,892,945").pn.	USPAT	OR	OFF	2005/02/09 15:15
S15 8	4172	(client$1 & server$1 s same (suspension$1 or wait$6) with handl$6).ab.	USPAT	OR	OFF	2005/02/09 15:19
S15 9	0	(client$1 & server$1 same (suspension$1 or wait$6) with handl$6).ab.	USPAT	OR	OFF	2005/02/09 15:19
S16 0	0	(client$1 same server$1 same (suspension$1 or wait$6) with handl$6).ab.	USPAT	OR	OFF	2005/02/09 15:20
S16 1	111	(client$1 same server$1 same (suspension$1 or wait$6) with handl$6)	USPAT	OR	OFF	2005/02/09 15:20
S16 2	2	(client$1 same server$1 same (suspension$1) with handl$6)	USPAT	OR	OFF	2005/02/09 15:44
S16 3	6	(client$1 same server$1 & (suspension$1) with handl$6)	USPAT	OR	OFF	2005/02/09 16:18
S16 4	40	(client$1 same server$1 same (activat$6 with handl$6))	USPAT	OR	OFF	2005/02/09 15:45
S16 5	7	(determin$6 with cancel$6 with request$6).ab.	USPAT	OR	OFF	2005/02/09 16:24
S16 6	0	(determin$6 with cancel$6 with request$6 same client$1 same server41)	USPAT	OR	OFF	2005/02/09 16:19
S16 7	0	("(access$6withdatabase41witherro r$3).ab.").PN.	USPAT	OR	OFF	2005/02/09 16:24

S168	0	("(access$6withdatabase$1witherror$3).ab.").PN.	USPAT	OR	OFF	2005/02/09 16:25
S169	29	((check$6 or secur$6) with error$6 with (database$1 or file$1)).ab.	USPAT	OR	OFF	2005/02/09 16:27
S170	9	((check$6 or secur$6) with error$6 with (database$1)).ab.	USPAT	OR	OFF	2005/02/09 16:27
S171	0	((secur$6) with error$6 with (database$1)).ab.	USPAT	OR	OFF	2005/02/09 16:27
S172	1	(access$6 with (permit$6 or allow$6) with error$6 with (database$1)).ab.	USPAT	OR	OFF	2005/02/09 16:28
S173	47	(access$6 with (permit$6 or allow$6) with error$6).ab.	USPAT	OR	OFF	2005/02/09 16:28
S174	2	(access$6 with (permit$6 or allow$6) with error$6 same secur$6).ab.	USPAT	OR	OFF	2005/02/09 16:29
S175	3	(access$6 with (permit$6 or allow$6) with secur$6 same error$1).ab.	USPAT	OR	OFF	2005/02/09 16:43
S176	0	(client$6 with server with cobar).ab.	USPAT	OR	OFF	2005/02/09 16:43
S177	3	(client$6 with server with corba).ab.	USPAT	OR	OFF	2005/02/09 16:55
S178	1	("6,314,555" B1).pn.	USPAT	OR	OFF	2005/02/09 16:58
S179	1	("6,323,881" B1).pn.	USPAT	OR	OFF	2005/02/09 17:04
S180	8	((cancell$6 or delet$6) with respons$6 same (client$1 or server$1)).ab.	USPAT	OR	OFF	2005/02/10 10:47
S181	510	((cancell$6 or delet$6) with respons$6 same (client$1 or server$1))	USPAT	OR	OFF	2005/02/10 10:46
S182	358	((cancell$6 or delet$6) with respons$6 with (client$1 or server$1))	USPAT	OR	OFF	2005/02/10 10:48
S183	12811	((client$1 or server$1)).ab.	USPAT	OR	OFF	2005/02/10 10:47
S184	245	S182 & S183	USPAT	OR	OFF	2005/02/10 10:47
S185	98	((cancell$6 or delet$6) with respons$6 with (client$1 same server$1))	USPAT	OR	OFF	2005/02/10 10:48
S186	37	((cancell$6 or delet$6) with respons$6 with (client$1 same server$1)) & exception	USPAT	OR	OFF	2005/02/10 10:49

S18 7	4	((cancell$6 or delet$6) near6 respons$6 with (client$1 same server$1)) & exception	USPAT	OR	OFF	2005/02/10 10:52
S18 8	37	(cancell$6 or delet$6) near6 respons$6 with (client$1 same server$1)	USPAT	OR	OFF	2005/02/10 14:15